

HP CONFIDENTIAL
Accessibility Information
Detail Report

As of: **09/11/2013** the **HP Fortify Software Security Center 4.0** addresses the Section 508 standards as described in the chart below.

Standard	Reference (36CFR)	Supporting Features*	Remarks*
Software Applications and Operating Systems	1194.21		
When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	1194.21(a)	Not Supported. Keyboard access does not exist for functions that can be identified with text labels. A mouse or other pointing device is required for these functions.	Many areas of the product do not allow the keyboard user to set focus to a control, fully manipulate a control or enter data using only the keyboard. An example would be the date controls which require a mouse click to invoke the control.
Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	1194.21(b)	Not Supported. HP Fortify Software Security Center 4.0 interferes with documented accessibility features of the supported operating systems and other products that follow industry standards.	Product overrides the user selected settings for font size, zoom ratio and color contrast settings.
A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive technology can track focus and focus changes.	1194.21(c)	Partially Supports. The current focus is identified visually and audibly, and assistive technology can track focus as it changes, with some exceptions.	When focus is set to the tabs there is no visual indication the tab has keyboard focus.
Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive technology. When an image represents a program element, the information conveyed by the image must also be available in text.	1194.21(d)	Partially Supports. Some information about user interface elements may not be available to assistive technology. Text equivalents for some program element images may not exist.	A few controls are not read correctly by assistive technology.
When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	1194.21(e)	Supports. Images used to identify programmatic elements have consistent meaning throughout the application.	
Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	1194.21(f)	Supports. HP Fortify Software Security Center 4.0 uses the functions provided by the supported operating systems when displaying text (text content, text input caret location, and text attributes), adhering to standard Windows Application Programming Interfaces (APIs).	
Applications shall not override user selected contrast and color selections and other individual display attributes.	1194.21(g)	Not Supported. HP Fortify Software Security Center 4.0 does not maintain user selected contrast and color selections and other individual display attributes set through supported operating systems.	Product overrides the user selected settings for font size, zoom ratio and color contrast settings.
When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	1194.21(h)	Supports. HP Fortify Software Security Center 4.0 provides the option of displaying animated information in a non-animated mode.	
Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	1194.21(i)	Partially Supports. HP Fortify Software Security Center 4.0 provides redundant visual cues when color conveys information, indicates action, prompts for responses, or distinguishes visual elements, with some exceptions.	Product uses colors in the charts and graphs which do not currently allow the assistive technology user to access the underlying data.
When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	1194.21(j)	Not Applicable. HP Fortify Software Security Center 4.0 does not permit users to adjust color and contrast settings.	Product does not allow user to adjust color settings.
Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater	1194.21(k)	Supports. HP Fortify Software Security Center 4.0 does not use elements that flash or blink at frequencies greater than	

HP CONFIDENTIAL

than 2 Hz and lower than 55 Hz.		2 Hz and less than 55 Hz.	
When electronic forms are used, the form shall allow people using Assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	1194.21(l)	Not Supported. Assistive technology cannot access the information and functions required for completion and submission of electronic forms contained in the application.	There are many controls that do not allow for keyboard-only access and some that provide invalid or no labels for assistive technology users.
Web-based Intranet and Internet Information and Applications	1194.22		
A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	1194.22(a)	Partially Supports. Text equivalents exist for non-text elements that are required to comprehend content or to facilitate navigation, with some exceptions.	Charts and graphs provide the ability to access the underlying data but this does not currently work with assistive technologies like JAWS.
Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	1194.22(b)	Not Applicable. HP Fortify Software Security Center 4.0 does not have multimedia presentations.	
Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	1194.22(c)	Partially Supports. Web pages provide redundant visual cues when color conveys information, with some exceptions.	Product uses colors in the charts and graphs which do not currently allow the assistive technology user to access the underlying data.
Documents shall be organized so they are readable without requiring an associated style sheet.	1194.22(d)	Supports. Documents are readable without requiring an associated style sheet. (For example, user-defined style sheets are not overridden and content can be viewed in browsers that have style sheet support disabled.)	
Redundant text links shall be provided for each active region of a server-side image map.	1194.22(e)	Not Applicable. HP Fortify Software Security Center 4.0 does not have server-side image maps with active regions.	
Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	1194.22(f)	Not Applicable. HP Fortify Software Security Center 4.0 does not have image maps.	
Row and column headers shall be identified for data tables.	1194.22(g)	Supports. Row and column headers contain identifying information that is available to assistive technology.	Product uses list controls that resemble data tables. These list controls are read by assistive technology.
Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	1194.22(h)	Not Applicable. HP Fortify Software Security Center 4.0 does not have complex data tables.	
Frames shall be titled with text that facilitates frame identification and navigation.	1194.22(i)	Not Applicable. HP Fortify Software Security Center 4.0 does not have frames.	
Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	1194.22(j)	Supports. Web-based pages do not use elements that flash or blink at frequencies greater than 2 Hz and less than 55 Hz.	
A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	1194.22(k)	Supports. Web pages support Section 1194.22 or, if support cannot be accomplished any other way, text-only pages provide equivalent information or functionality.	Product does not require the use of text only pages.
When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive technology.	1194.22(l)	Partially Supports. Functional text describing what is being displayed by scripts is available to assistive technology, with some exceptions.	
When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	1194.22(m)	Partially Supports. Web pages provide links to accessible applets or plug-ins, with some exceptions.	
When electronic forms are designed to be completed on-line, the form shall allow people using Assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	1194.22(n)	Not Supported. Assistive technology cannot access the information and functions required for completion and submission of electronic forms designed to be completed on-line.	There are many controls that do not allow for keyboard-only access and some that provide invalid or no labels for the assistive technology user.
A method shall be provided that permits users to skip repetitive navigation links.	1194.22(o)	Supports. Assistive technology can jump to the main content of the page, skipping repetitive navigation links.	
When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	1194.22(p)	Not Supported. When timed responses are required, users are not alerted or given the option to request more time.	The user is alerted that the session is about to expire. The user is not given the option to extend the session and the time period from notice to log out is only seconds.
Telecommunications Products	1194.23		
Telecommunications products or systems which provide a function			

HP CONFIDENTIAL

allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	1194.23(a)	Not Applicable. HP Fortify Software Security Center 4.0 is not a telecommunications device to which TTY can be attached.	
Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	1194.23(b)	Not Applicable. HP Fortify Software Security Center 4.0 is not a telecommunications product that provides voice communication functionality.	
Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	1194.23(c)	Not Applicable. HP Fortify Software Security Center 4.0 is not a telecommunications system that provides voice mail, auto attendant, or interactive voice response.	
Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	1194.23(d)	Not Applicable. HP Fortify Software Security Center 4.0 is not a telecommunications system that provides voice mail, auto attendant, or interactive voice response requiring timed responses.	
Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	1194.23(e)	Not Applicable. HP Fortify Software Security Center 4.0 does not have caller identification or similar telecommunications functions.	
For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	1194.23(f)	Not Applicable. HP Fortify Software Security Center 4.0 is not a telecommunications device capable of providing volume control.	
Requires that an automatic reset be installed on any telephone that allows the user to adjust the volume higher than the normal level. This is a safety feature to protect people from suffering damage to their hearing if they accidentally answer a telephone with the amplification turned too high.	1194.23(g)	Not Applicable. HP Fortify Software Security Center 4.0 does not have a telephone that allows users to adjust volume.	
Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	1194.23(h)	Not Applicable. HP Fortify Software Security Center 4.0 is not a telecommunications product that delivers output by an audio transducer held to the ear.	
Interference to hearing technologies (including hearing aids, cochlear implants, and Assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	1194.23(i)	Not Applicable. HP Fortify Software Security Center 4.0 is not a telecommunications product with handsets or other hardware that can interfere with hearing technologies.	
Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	1194.23(j)	Not Applicable. HP Fortify Software Security Center 4.0 is not a telecommunications product.	
Controls and keys shall be tactilely discernible without activating the controls or keys.	1194.23(k.1)	Not Applicable. HP Fortify Software Security Center 4.0 does not have mechanically operated controls or keys.	
Controls and keys shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2 N) maximum.	1194.23(k.2)	Not Applicable. HP Fortify Software Security Center 4.0 does not have mechanically operated controls or keys.	
If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	1194.23(k.3)	Not Applicable. HP Fortify Software Security Center 4.0 does not have mechanically operated controls or keys that support key repeat.	
The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	1194.23(k.4)	Not Applicable. HP Fortify Software Security Center 4.0 does not have mechanically operated controls or keys that lock or toggle.	

HP CONFIDENTIAL

Video and Multimedia Products	1194.24		
All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.	1194.24(a)	Not Applicable. HP Fortify Software Security Center 4.0 does not have analog television receiver or display circuitry.	
Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	1194.24(b)	Not Applicable. HP Fortify Software Security Center 4.0 does not have tuner capabilities.	
All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	1194.24(c)	Not Applicable. HP Fortify Software Security Center 4.0 does not have training or informational productions containing audio.	
All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	1194.24(d)	Not Applicable. HP Fortify Software Security Center 4.0 does not have training or informational video or multimedia productions.	
Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	1194.24(e)	Not Applicable. HP Fortify Software Security Center 4.0 does not have alternate text or audio descriptions.	
Self Contained, Closed Products	1194.25		
Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive technology to the product. Personal headsets for private listening are not Assistive technology.	1194.25(a)	Not Applicable. HP Fortify Software Security Center 4.0 is not a self-contained product.	
When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	1194.25(b)	Not Supported. When timed responses are required, users are not alerted or given the option to request more time.	The user is alerted that the session is about to expire. The user is not given the option to extend the session and the time period from notice to log out is only seconds.
Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	1194.25(c)	Not Applicable. HP Fortify Software Security Center 4.0 does not utilize touchscreens or contact-sensitive controls.	
When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	1194.25(d)	Not Applicable. HP Fortify Software Security Center 4.0 does not use a biometric interface for operation.	
When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	1194.25(e)	Not Applicable. HP Fortify Software Security Center 4.0 is not a device to which listening devices can be attached.	
When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	1194.25(f)	Not Applicable. HP Fortify Software Security Center 4.0 is not a device capable of providing volume control.	

HP CONFIDENTIAL

Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	1194.25(g)	Partially Supports. HP Fortify Software Security Center 4.0 provides redundant visual cues when color conveys information, indicates action, prompts for responses, or distinguishes visual elements, with some exceptions.	Product uses colors in the charts and graphs which do not currently allow the assistive technology user to access the underlying data.
When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	1194.25(h)	Not Applicable. HP Fortify Software Security Center 4.0 does not permit users to adjust color and contrast settings.	Product does not allow user to adjust color settings.
Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	1194.25(i)	Supports. HP Fortify Software Security Center 4.0 is designed to avoid screen flicker with a frequency greater than 2 Hz and less than 55 Hz.	
Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following:	1194.25(j)	Not Applicable. HP Fortify Software Security Center 4.0 is not a freestanding, non-portable product with operable controls.	
The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length (see Figure 1 of this part).	1194.25(j.1)	Not Applicable. HP Fortify Software Security Center 4.0 does not have operable controls.	
Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	1194.25(j.2)	Not Applicable. HP Fortify Software Security Center 4.0 does not have operable controls.	
Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	1194.25(j.3)	Not Applicable. HP Fortify Software Security Center 4.0 does not have operable controls.	
Operable controls shall not be more than 24 inches behind the reference plane (see Figure 2 of this part).	1194.25(j.4)	Not Applicable. HP Fortify Software Security Center 4.0 does not have operable controls.	
Desktop and Portable Computers	1194.26		
All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	1194.26(a)	Not Applicable. HP Fortify Software Security Center 4.0 does not have mechanically operated controls or keys.	
If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	1194.26(b)	Not Applicable. HP Fortify Software Security Center 4.0 does not utilize touchscreens or touch-operated controls.	
When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	1194.26(c)	Not Applicable. HP Fortify Software Security Center 4.0 does not use a biometric interface for operation.	
Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards.	1194.26(d)	Not Applicable. HP Fortify Software Security Center 4.0 does not provide expansion slots, ports or connectors.	
Functional Performance Criteria	1194.31		
At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive technology used by people who are blind or visually impaired shall be provided.	1194.31(a)	Partially Supports. Some operations and functions for information retrieval require user vision. These operations and functions may not be available to assistive technology used by people who are blind or visually impaired.	Some areas of the product are not usable with assistive technology such as JAWS. See remarks in tables 1194.21 and 1194.22 for more details.
At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive technology used by people who are visually impaired shall be provided.	1194.31(b)	Partially Supports. Some operations and functions for information retrieval require visual acuity greater than 20/70. These operations and functions may not be available to assistive technology used by people who are visually impaired.	Product does not use the text size or zoom settings of the browser. Assistive technology such as ZoomText can be used to provide zoom features.
At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive technology used by people who are deaf or hard of hearing shall be provided.	1194.31(c)	Supports. HP Fortify Software Security Center 4.0 does not require user hearing for operation or information retrieval, and/or support for assistive technology is provided.	
Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for Assistive hearing devices shall be provided.	1194.31(d)	Supports. HP Fortify Software Security Center 4.0 does not require audio information, and/or provides enhanced auditory features for important audio information (such as error tones, confirmation beeps, and verbal instructions), and/or provides support for assistive hearing devices.	

HP CONFIDENTIAL

At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive technology used by people with disabilities shall be provided.	1194.31(e)	Supports. HP Fortify Software Security Center 4.0 does not require user speech for operation or information retrieval, and/or support for assistive technology is provided.	
At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	1194.31(f)	Not Supported. HP Fortify Software Security Center 4.0 requires fine motor control and/or simultaneous actions, and is not operable with limited reach and strength.	Many areas of the product do not allow the keyboard user set focus to a control, fully manipulate a control or enter data using only the keyboard. An example would be the data controls which require a mouse click to invoke the control.
Information, Documentation and Support	1194.41		
Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	1194.41(a)	Supports. End-user documentation is available electronically in formats that can be used by screen readers or printed by Braille embossers.	
End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	1194.41(b)	Supports. Accessibility information is available at www.hp.com/accessibility and/or on the individual product specification sheet listed on www.hp.com . The accessibility information is available in alternate formats.	
Support services for products shall accommodate the communication needs of end-users with disabilities.	1194.41(c)	Supports. www.hp.com provides support services in accessible formats. Support for customers who are deaf or hard of hearing is available using TRS/VRS/WebCapTel at (877) 656-7058, Monday-Friday, 6 a.m. to 9 p.m. Mountain Time.	

*Supporting features apply to the **HP Fortify Software Security Center 4.0** product family as a whole. Individual products within this family that do not contain one or more of these features are identified as exceptions in the Remarks column, which may also include notes regarding definition, equivalent facilitation, scope of support, etc. Unless otherwise indicated, operating system information is included if applicable. For information on third party software and applications please contact the software manufacturer.

THE INFORMATION AND MATERIALS PROVIDED IN THIS DOCUMENT ARE "AS IS" WITHOUT WARRANTIES OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. HP further does not warrant the accuracy and completeness of the information or materials on this document. The information shall not be construed as product specifications for purposes of any warranty of compliance with product specifications in a given contract or order. HP may make changes to the information on this document or to the products described in them, at any time without notice. The information and materials on this document may be out of date, and HP makes no commitment to update the information and materials.