# VPAT™

## Voluntary Product Accessibility Template<sup>®</sup>

#### Version 1.3

The purpose of the **Voluntary Product Accessibility Template**, or **VPAT**<sup>™</sup>, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology" products and services with features that support accessibility. It is assumed and recommended that offerers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., "equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

**Date:** September 12<sup>th</sup>, 2017 **Name of Product:** Kofax Capture 11. 0 **Contact for more Information (name/phone/email):** 

Danny Ha, Product Manager +1-949-783-1430 Danny.Ha@kofax.com

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

## Summary Table

## **VPAT**<sup>TM</sup>

## Voluntary Product Accessibility Template<sup>®</sup>

Criteria	Supporting Features	Remarks and explanations
Section 1194.21 Software Applications and Operating Systems	Applicable	Supports with Exceptions
Section 1194.22 Web-based Internet Information and Applications	Not Applicable	
Section 1194.23 Telecommunications Products	Not Applicable	
Section 1194.24 Video and Multi-media Products	Not Applicable	
Section 1194.25 Self-Contained, Closed Products	Not Applicable	
Section 1194.26 Desktop and Portable Computers	Not Applicable	
Section 1194.31 Functional Performance Criteria	Applicable	Supports with Exceptions
Section 1194.41 Information, Documentation and Support	Applicable	Supports with Exceptions

## Section 1194.21 Software Applications and Operating Systems – Detail

## VPAT™

## Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports with Exceptions	The majority of functionality within Kofax Capture can be executed from the keyboard. However, certain minor features either require workarounds or cannot be used via the keyboard. For example in Scan it is not possible to tab through items on the ribbon bar. Also, buttons on the filter batches dialog cannot be activated using Enter key
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supports	Kofax Capture does not interfere with any operating system specific accessibility features.
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Supports	Focus is exposed programmatically and visually.

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Supports with Exceptions	Most controls in Kofax Capture provide sufficient name, role, state, and value information to users and adaptive technology.
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Supports	All bitmap images present in Kofax Capture are used in a standard fashion.
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports	Text is written to the screen through the Operating System (OS).
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supports	User can select color theme.
(h) When animation is displayed, the information shall be displayable in at least one non- animated presentation mode at the option of the user.	Not Applicable	Animation is not used.
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	Color coding is not the sole means of conveying meaning.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supports	Settings must be changed through the OS.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink	Supports	Kofax Capture does not utilize blinking or flashing elements within the stated frequency range

frequency greater than 2 Hz and lower than 55 Hz.	
(I) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	 Forms can be accessed by people using assistive technology.

## Section 1194.22 Web-based Internet information

#### and applications – Detail

## **VPAT**<sup>™</sup>

## Voluntary Product Accessibility Template<sup>®</sup>

Criteria	Supporting Features	Remarks and explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).		
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.		
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.		
(d) Documents shall be organized so they are readable without requiring an associated style sheet.		
(e) Redundant text links shall be provided for each active region of a server-side image map.		
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.		
(g) Row and column headers shall be identified for data tables.		
(h) Markup shall be used to associate data cells and header cells for data tables that have two		

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

or more logical levels of row or column headers.	
(i) Frames shall be titled with text that facilitates frame identification and navigation	
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	
<ul> <li>(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.</li> </ul>	
(I) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (I).	
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	
(o) A method shall be provided that permits users to skip repetitive navigation links.	

(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	
indicate more time is required.	

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

## Section 1194.23 Telecommunications Products -

#### Detail

## VPAT™

# Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.		
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.		
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.		
(d) Voice mail, messaging, auto- attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.		

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	
(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove	

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc. This information may not be disclosed without the express authorization of Kofax or its licensors. This product information is based on and provided for the limited purpose of conveying Kofax Software's or its licensors' understanding of the Section 508 Accessibility Standards. It may not be construed as product specifications for purposes of any warranty or conformance with product specifications in any contract or order.

information needed for access or shall restore it upon delivery.	
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.	
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	

## Section 1194.24 Video and Multi-media Products -

#### Detail

## VPAT™

## Voluntary Product Accessibility Template<sup>®</sup>

Criteria	Supporting Features	Remarks and explanations
a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.		
(b) Television tuners, including tuner cards for use in computers, shall be equipped		

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

with secondary audio program playback circuitry.	
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	

#### Section 1194.25 Self-Contained, Closed Products – Detail

## VPAT™

## **Voluntary Product Accessibility Template<sup>®</sup>**

Criteria	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.		
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.		
(c) Where a product utilizes touchscreens or contact- sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).		
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard		

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

This information may not be disclosed without the express authorization of Kofax or its licensors. This product information is based on and provided for the limited purpose of conveying Kofax Software's or its licensors' understanding of the Section 508 Accessibility Standards. It may not be construed as product specifications for purposes of any warranty or conformance with product specifications in any contract or order.

connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined	

with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	

## Section 1194.26 Desktop and Portable

#### **Computers – Detail**

## VPAT™

### Voluntary Product Accessibility Template<sup>®</sup>

Criteria	Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).		
(b) If a product utilizes touchscreens or touch- operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).		
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards		

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

## Section 1194.31 Functional Performance Criteria

#### – Detail

## VPAT™

### **Voluntary Product Accessibility Template<sup>®</sup>**

Criteria	Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports with Exceptions	The majority of Kofax Capture user interface elements is accessible and work well when used with screen readers. A small number of controls are missing full keyboard access and several images are missing alternative descriptions, such as in the batch contents tree in the verification and validation modules. Users who are visually impaired rely on the keyboard to access applications and rely on alternative description of images to determine image meaning.
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supports with Exceptions	The majority of Kofax Capture user interface elements is accessible and work well when used with screen readers. A small number of controls are missing full keyboard access and several images are missing alternative descriptions, such as in the batch contents tree in the verification and validation modules. Users who are visually impaired rely on the keyboard to access applications and rely on alternative description of images to determine image meaning.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for	Supports	Kofax Capture does not require users to perceive audio information for use.

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.

This information may not be disclosed without the express authorization of Kofax or its licensors. This product information is based on and provided for the limited purpose of conveying Kofax Software's or its licensors' understanding of the Section 508 Accessibility Standards. It may not be construed as product specifications for purposes of any warranty or conformance with product specifications in any contract or order.

Assistive Technology used by people who are deaf or hard of hearing shall be provided		
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports	Kofax Capture does not require users to perceive audio information for use.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Supports	Kofax Capture does not require users to produce speech for use.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supports with Exceptions	The majority of user interface elements are accessible to people with limited mobility. A small number of controls are missing full keyboard access, such as the batch contents tree in the verification and validation modules. Users who are mobility impaired rely on the keyboard to access applications.

## Section 1194.41 Information, Documentation

#### and Support – Detail

## VPAT™

### **Voluntary Product Accessibility Template<sup>®</sup>**

Criteria	Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supports with Exceptions	Kofax currently does not have a process in place to provide materials in alternative formats such as Braille and Audio Tape. Materials are provided in accessible HTML format.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supports with Exceptions	Kofax currently does not have a process in place to provide materials in alternative formats such as Braille and Audio Tape. Materials are provided in accessible HTML format.
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports with Exceptions	Kofax support services provide phone support for users with hearing impairments via relay services. Online knowledge base and support information can be found at www.kofax.com. User manuals and online documentation are provided in HTML format; however, some links are not accessible via the keyboard and level indention of the table of contents is not provided through structural markup to users of assistive technology.

Contains CONFIDENTIAL AND PROPRIETARY INFORMATION, AND TRADE SECRETS of Kofax, Inc.